

2024

ž

č

-

Ultra V Pro	STPXXXS- C54/Nshb+ [XXX=350-600]	25	30	1.0%	0.40%	87.40%
	STPXXXS- C54/Nshtb + [XXX=400-550]	25	30	1.0%	0.40%	87.40%
	STPXXXS- H48-N(sh, kh, th)+ [XXX=435-495]	15	30	1.0%	0.40%	87.40%
	STPXXXS- H48-Nfb+ [XXX=435-495]	25	30	1.0%	0.40%	87.40%
	STPXXXS- C72/Nm (h, hm, hb) + [XXX=350-650]	15	30	1.0%	0.40%	87.40%
	STPXXXS- C72/Ns (h, hm, hb) + [XXX=540-6500 0 RG/F5 7.44 TFE]					

0.45%

30

84.95%

A

A

- 

N

1

99%

2

30

4.

0.40%

30

87.4%

"

"

1

a

b

2

99/44

EC DIRECTIVE 99/44

STC

a

AM 1.5 (b)

1000

c

5.

25

IEC 61215

a

b

c

3.

a

b

c

d

e

1

f

g

h

2

- 

- 

- 

Global Installation Guide for Suntech Power Standard Photovoltaic

Module

[www.suntech-power.com](http://www.suntech-power.com)

- 

6.

- 

- 

- 

3

7.

4

5

8.

9.

10.

11.

2024 1 1 2024

12 31

9 , 214028